

# ENGINEERING DATA



Smith &  
Loveless, Inc.®

14040 Santa Fe Trail Drive  
Lenexa, Kansas 66215-1284

PISTA® Grit Removal System  
Section Index  
April 2013  
Page 1

## WASTEWATER TREATMENT SYSTEMS

### PISTA® GRIT REMOVAL SYSTEM

SECTION	DESCRIPTION	DATE	PAGE
A	<b>DRAWING NUMBER INDEX</b>	August 2012	A1
B	<b>3-D DRAWINGS</b>	August 2012	B1 – B4
C	<b>NOTES ON DESIGN</b>	August 2012	C1 – C14
	Purpose	August 2012	C1
	Position in the Treatment Process	August 2012	C1
	Operation	August 2012	C1 - C2
	Hydraulics	August 2012	C3
	<b>PISTA®</b> Grit Chamber Layout	August 2012	C4
	<b>PISTA® TURBO™</b> Grit Removal Pump	August 2012	C5
	<b>PISTA® TURBO™</b> Grit Pump Selection	August 2012	C5
	Top-Mounted <b>PISTA® TURBO™</b> Grit Pump Calculations	August 2012	C6
	Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump Calculations	August 2012	C7
	4B2H - 4B2J <b>PISTA® TURBO™</b> Grit Pump Curve - 1760 RPM -62L153	August 2012	C8
	4B2H - 4B2J <b>PISTA® TURBO™</b> Grit Pump Curve - 1470 RPM -62L152	August 2012	C9
	4B2H - 4B2J <b>PISTA® TURBO™</b> Grit Pump Curve - 1170 RPM -62L151	August 2012	C10
	6B3H - 6B3J - 6C3H - 6C3J <b>PISTA® TURBO™</b> Grit Pump Curve – 1170 RPM and 1760 RPM – 62L169	August 2012	C11
	6B3H - 6B3J - 6C3H - 6C3J <b>PISTA® TURBO™</b> Grit Pump Curve – 1470 RPM – 62L209	August 2012	C12
	Bar Screen, Grit Pumping and Environmental Considerations	August 2012	C13
	<b>PISTA®</b> Grit Chamber Variable and Fixed Dimensions	August 2012	C14
D	<b>PRINCIPLES OF GRIT PIPING</b>	August 2012	D1 – D4
E	<b>ELECTRICAL SEQUENCE OF OPERATION</b>	August 2012	E1 – E2
	Top-Mounted <b>PISTA® TURBO™</b> Grit Pump	August 2012	E1
	Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump	August 2012	E2
F	<b>DESIGN DATA TABLES</b>	January 2013	F1 – F10
	English Measurements	January 2013	F1 – F5
	Metric Measurements	January 2013	F6 – F10

# ENGINEERING DATA



Smith &  
Loveless, Inc.®

14040 Santa Fe Trail Drive  
Lenexa, Kansas 66215-1284

PISTA® Grit Removal System  
Section Index  
April 2013  
Page 2

SECTION	DESCRIPTION	DATE	PAGE
G	CERTIFIED FIELD TEST RESULTS	August 2012	G1 – G3
H	<b>PISTA® 360B™ SPECIFICATION &amp; OUTLINE DRAWINGS</b>		
	<b>PISTA® 360B™</b> Grit Removal Specification	April 2013	H1-H21
	<b>OUTLINE DRAWINGS</b>	<b>DRAWING</b>	<b>PAGE</b>
	<b>PISTA® 360™ CW Grit Chamber with V-FORCE BAFFLE™ and PISTA® TURBO™ Grit Pump</b>	April 2013	H22 – H27
	4" (100 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5B – 100.0B	67B310	H22
	4" (100 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5B – 100.0B	67B315	H23
	6" (150 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0B – 100.0B	67B316	H24
	6" (150 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0B – 100.0B	67B317	H25
	Dimensions	67A219	H26-H27
I	<b>PISTA® 360™ WITH WEIR SPECIFICATION &amp; OUTLINE DRAWINGS</b>		
	<b>PISTA® 360™</b> Grit Removal Specification	April 2013	I1-I19
	<b>OUTLINE DRAWINGS</b>	<b>DRAWING</b>	<b>PAGE</b>
	<b>PISTA® 360™ CW Grit Chamber with PISTA® TURBO™ Grit Pump</b>	April 2013	I20 – I32
	4" (100 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5A – 100.0A	67D167	I20
	4" (100 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5A – 100.0A	67D179	I21
	6" (150 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0A – 100.0A	67B246	I22
	6" (150 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0A – 100.0A	67B248	I23
	Dimensions	67A170	I24
	Steel Baffle, Stop Plank Submerged Weir Details – Models 0.5A-100.0A	67C157	I25
	Dimensions	67A158	I26
	Steel Baffle and Steel Effluent Shelf Details – Models 0.5A – 7.0A	67C211	I27
	Dimensions	67A176	I28

# ENGINEERING DATA



Smith &  
Loveless, Inc.®

14040 Santa Fe Trail Drive  
Lenexa, Kansas 66215-1284

PISTA® Grit Removal System  
Section Index  
April 2013  
Page 3

SECTION	DESCRIPTION	DRAWING	PAGE
<b>I</b>	<b>OUTLINE DRAWINGS (CONTINUED)</b>		
	Steel Baffle, Steel Effluent Shelf and Stop Plank Weir Details – Models 12.0A – 100.0A	67C203	I29
	Dimensions	67A175	I30
	4" (100 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Steel Tank – Models 0.5A – 7.0A	67D168	I31
	Dimensions	67A156	I32
<b>J</b>	<b>PISTA® 270™ SPECIFICATION &amp; OUTLINE DRAWINGS</b>		
	<b>PISTA® 270™</b> Grit Removal Specification	April 2013	J1-J19
	<b>OUTLINE DRAWINGS</b>	<b>DRAWING</b>	<b>PAGE</b>
	<b>PISTA® 270™ CW Grit Chamber</b> with <b>PISTA® TURBO™</b> Grit Pump		J20 – J28
	4" (100 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5 – 100.0	67D132	J20
	4" (100 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 0.5 – 100.0	67D135	J21
	6" (150 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0 – 100.0	67B252	J22
	6" (150 mm) Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump, Concrete Tank – Models 20.0 – 100.0	67B254	J23
	Dimensions	67C117	J24– J25
	Steel Baffle & Inlet Ramp Details	67C116	J26
	4" (100 mm) Top-Mounted <b>PISTA® TURBO™</b> Grit Pump, Steel Tank – Models 0.5 – 7.0	67D133	J27
	Dimensions	67C118	J28
<b>K</b>	<b>PISTA® PRO-PAK™ SPECIFICATION &amp; OUTLINE DRAWINGS</b>		
	<b>PISTA® PRO-PAK™</b> Specification	April 2012	K1-K18
	<b>OUTLINE DRAWINGS</b>	<b>DRAWING</b>	<b>PAGE</b>
	<b>PISTA® PRO-PAK™</b> Typical Installation	67B523	K19
	<b>PISTA® PRO-PAK™</b> 4" (100 mm) Pump Assembly	67B576	K20
	<b>PISTA® PRO-PAK™</b> 6" (150 mm) Pump Assembly	67B577	K21
<b>L</b>	<b>PISTA® Works™ SPECIFICATION &amp; OUTLINE DRAWINGS</b>		
	<b>PISTA® Works™</b> Specification	April 2012	L1-L10
	<b>OUTLINE DRAWINGS</b>	<b>DRAWING</b>	<b>PAGE</b>
	<b>PISTA® Works™</b> Model 0.5B Standard Drawing	67B550	L11-L12
	<b>PISTA® Works™</b> Model 1.0B Standard Drawing	67B551	L13 - L14

# ENGINEERING DATA



Smith &  
Loveless, Inc.®

14040 Santa Fe Trail Drive  
Lenexa, Kansas 66215-1284

PISTA® Grit Removal System  
Section Index  
April 2013  
Page 4

SECTION	DESCRIPTION	DRAWING	PAGE
L	<b>OUTLINE DRAWINGS (CONTINUED)</b>		
	PISTA® Works™ Model 2.5B Standard Drawing	67B552	L15 - L16
	PISTA® Works™ Model 4.0B Standard Drawing	67B553	L17 - L18
	PISTA® Works™ Model 7.0B Standard Drawing	67B554	L19 - L20
M	<b>GRIT HANDLING SYSTEM DRAWINGS</b>	August 2012	M1 - M23
	<b>PISTA® TURBO™ GRIT PUMP</b>	August 2012	M1 - M5
	4B2H PISTA® TURBO™ Grit Pump Outline Dimensions	61B15	M1
	4B2J PISTA® TURBO™ Grit Pump Outline Dimensions	61C1	M2
	6B3H / 6C3H PISTA® TURBO™ Grit Pump Outline Dimensions	61B20	M3
	6B3J / 6C3J / 6D3J PISTA® TURBO™ Grit Pump Outline Dimensions	61B2	M4
	PISTA® Pinch Valve	2L159	M5
	<b>DEWATERING SYSTEMS</b>	August 2012	M6 – M15
	250 GPM (15.8 LPS) PISTA® Grit Concentrator	67C175	M6
	500 GPM (31.5 LPS) PISTA® DURALYTE® Grit Concentrator	67B346	M7
	Model 15 PISTA® Grit Dewatering Screw Conveyor with Single or Dual 250 GPM (15.8 LPS) PISTA® Grit Concentrator	67C168	M8
	Model 17 PISTA® Grit Dewatering Screw Conveyor with Single DURALYTE® 500 GPM (31.5 LPS) PISTA® Concentrator	67B341	M9
	Piping Arrangement for Model 15 PISTA® Grit Screw Conveyor with 250 GPM (15.8 lps) Concentrator	67C176	M10
	Piping Arrangement for Model 15 PISTA® Grit Screw Conveyor and Dual 250 GPM (15.8 LPS) Concentrators	67B241	M11
	Piping Arrangement for Model 17 PISTA® Grit Screw Conveyor with DURALYTE® 500 GPM (31.5 LPS) Concentrator	67B330	M12
	Piping Arrangement for Model 17 PISTA® Grit Screw Conveyor and Dual DURALYTE® 500 GPM (31.5 LPS) Concentrators	67B345	M13
	PISTA® Grit Concentrator Installation on Optional Support	67B174	M14
	PISTA® Grit Concentrator Installation on Model 15 PISTA® Grit Dewatering Screw Conveyor	67B173	M15
	<b>PISTA® TURBO™ GRIT WASHER</b>	August 2012	M16 – M23
	250 GPM (15.8 LPS) PISTA® Grit Concentrator	67C175	M16
	500 GPM (31.5 LPS) PISTA® DURALYTE® Grit Concentrator	67B346	M17
	PISTA® TURBO™ Grit Washer with Model 250 Concentrator	67B379	M18
	PISTA® TURBO™ Grit Washer with Model 500 Concentrator	67B377	M19
	PISTA® TURBO™ Grit Washer with Model 250 Concentrator – Arrangement Drawing	67B380	M20
	PISTA® TURBO™ Grit Washer with Model 500 Concentrator – Arrangement Drawing	67B381	M21

# ENGINEERING DATA



Smith &  
Loveless, Inc.®

14040 Santa Fe Trail Drive  
Lenexa, Kansas 66215-1284

**PISTA®** Grit Removal System  
Section Index  
April 2013  
Page 5

SECTION	DESCRIPTION	DRAWING	PAGE
<b>M</b>	<b>GRIT HANDLING SYSTEM DRAWINGS (CONTINUED)</b>		
	<b>PISTA® TURBO™</b> Grit Washer with Dual Grit Concentrator on Single Model 500	67B457	M22
	<b>PISTA® TURBO™</b> Grit Washer with Dual Grit Concentrator on Single Model 500	67B456	M23
<b>N</b>	<b>GENERAL LAYOUT DRAWINGS</b>	August 2012	N1 –N11
	Preferred Single <b>PISTA® 360™</b> Grit Removal System with Bypass – Models 0.5A – 100.0A & 0.5B – 100.0B	67C158	N1
	Dimensions	67A157	N2
	Preferred Dual <b>PISTA® 360™</b> Grit Removal System with Bypass – Models 0.5A – 100.0A & 0.5B – 100.0B	67C160	N3
	Dimensions	67A160	N4
	Preferred Dual <b>PISTA® 360™</b> Grit Removal System, No Bypass – Models 0.5A – 100.0A & 0.5B – 100.0B	67C159	N5
	Dimensions	67A161	N6
	Preferred Four- <b>PISTA®</b> Grit Removal System Layout	67B198	N7
	Preferred Six- <b>PISTA®</b> Grit Removal System Layout	67B199	N8
	Preferred Single <b>PISTA®</b> Grit Removal System – Models 0.5 – 100.0	67B123	N9
	Preferred Dual <b>PISTA®</b> Grit Removal System – Models 0.5 – 100.0	67B118	N10
	Preferred Location for Inlet Pipe From Below <b>PISTA®</b> Grit Chamber – Models 0.5 – 100.0	67B120	N11
<b>O</b>	<b>GENERAL DRAWINGS</b>	August 2012	O1 - O18
	PLC Selection Table	August 2012	O1
	PLC Controlled <b>PISTA®</b> Grit Ethernet Communications	67B591	O2 – O4
	Wiring Schematics		
	Deluxe PLC Controlled <b>PISTA®</b> Grit Ethernet Communications	67B592	O5 – O7
	Wiring Schematics		
	<b>PISTA® TURBO™</b> Grit Washer with <b>TRI-CLEANSE TECHNOLOGY™</b>	67B593	O8 – O10
	PLC Controlled Wiring Schematics		
	Deluxe <b>PISTA® TURBO™</b> Grit Washer with <b>TRI-CLEANSE TECHNOLOGY™</b> PLC Controlled Wiring Schematics	67B594	O11 – O14
	<b>PISTA®</b> Grit Chamber Schematic Wiring Diagram	67B286	O15
	Drive Unit	67B255	O16
	Gear Box and Pump Lift Mounting Assembly – Top-Mounted <b>PISTA® TURBO™</b> Grit Pump	67D134	O17
	Gear Box and Pump Lift Mounting Assembly – Remote-Mounted <b>PISTA® TURBO™</b> Grit Pump	67D136	O18